

Amendments to the Claims:

Re-write the claims as set forth below. This listing of claims will replace all prior versions and listings, of claims in the application:

Listing of Claims:

1. (Canceled)
2. (Canceled)
3. (Currently amended) A system for updating a clock in an electronic device, comprising:
a receiver system having an input for receiving a real time signal and having an output
from which is provided digital information representative of the real time signal;
an extraction module operatively coupled to the receiver system, the extraction module
extracting at least a current time value from the digital information;
an update module operatively coupled to the extraction module, the update module
updating the clock in the electronic equipment when the current time value of the digital
information differs from a current value of the clock in the electronic equipment;
wherein the system further comprises a validating unit that is operatively coupled
between the extraction module and the update module, the validating unit comparing channel
identification data derived from the digital information to time zone data in the electronic
equipment, the time zone data being indicative of a time zone in which the electronic equipment
is currently located; and
The system according to claim 2, wherein the clock is updated only when the comparison
indicates that a station identified by the channel identification data is in the same time zone as
the electronic equipment.

4. (Original) The system according to claim 3, wherein the real time signal is a television signal, and wherein the channel identification data and the current time value are contained in a vertical blanking interval of the television signal.
5. (Original) The system according to claim 3 wherein the real time signal is a digital television signal, and wherein the channel identification data and the current time value are contained in a data payload of the digital transport stream.
6. (Original) The system according to claim 4, wherein the extraction module extracts the channel identification data and the current time value from the vertical blanking interval of the television signal.
7. (Canceled)
8. (Previously presented) A system for updating an interval clock in a computer, comprising:
 - a tuner having an input that receives a real time analog television signal;
 - a video decoder operatively coupled to the tuner, the video decoder converting the analog television signal to a digital television signal;
 - a capture engine operatively coupled to the video decoder, the capture engine converting the digital television signal to display data;
 - a vertical blanking interval decoder configured to obtain the display data, the vertical blanking interval decoder deriving information data from the display data, the information data is indicative of information stored in a vertical blanking interval of the television signal;

an extraction module operatively coupled to the vertical blanking interval decoder, the extraction module extracting at least time stamp information and channel identification information from the information data;

a validating unit that is operatively coupled to the extraction module, the validating unit comparing channel identification data derived from the information data to time zone data in the computer, the time zone data being indicative of a time zone in which the computer is currently located; and

an update module operatively coupled to the extraction module and the validation module, the update module updating the interval clock in the computer when a current value of the time stamp information of the display data differs from a current value of the interval clock in the computer and when the comparison indicates that a station identified by the channel identification information is in the same time zone as the computer.

9. (Previously presented) The system according to claim 8, wherein the channel identification information and the current value of the time stamp information are contained in the vertical blanking interval of the television signal.
10. (Previously presented) The system according to claim 8, wherein the interval clock is updated when the current value of the time stamp information differs by a predetermined amount from a current value of the interval clock in the computer.
11. (Original) A system for updating an interval clock in a computer, comprising:
 - a tuner having an input that receives a real time analog television signal;
 - a video decoder operatively coupled to the tuner, the video decoder converting the analog television signal to a digital television signal ;

a capture engine operatively coupled to the video decoder, the capture engine converting the digital television signal to display data in a frame buffer;

an extraction module operatively coupled to the frame buffer, the extraction module having optical character recognition capability for extracting at least current time information from the display data; and

an update module operatively coupled to the extraction module, the update module updating the clock in the computer when a current value of the current time value of the display data differs from a current value of the clock in the computer.

12. (Original) The system according to claim 11, wherein the system further comprises a module for selecting an area on a display containing a time box.
13. (Original) The system according to claim 11, wherein the clock is updated only when the comparison indicates that a station identified by the channel identification data is in the same time zone as the computer.
14. (Original) The system according to claim 11, wherein the clock is updated when the current time value of the display data differs by a predetermined amount from a current value of the clock in the computer.
15. (Canceled)
16. (Canceled)
17. (Currently amended) A method for updating a clock in an electronic device, comprising:
receiving a real time signal and providing therefrom digital information representative of the real time signal;
extracting at least a current time value from the digital information;

updating the clock in the electronic equipment when a current value of the current time value of the digital information differs from a current value of the clock in the electronic equipment;

wherein the method further comprises comparing channel identification data derived from the digital information to time zone data in the electronic equipment, the time zone data being indicative of a time zone in which the electronic equipment is currently located; and

~~The method according to claim 16,~~ wherein the clock is updated only when the comparison indicates that a station identified by the channel identification data is in the same time zone as the electronic equipment.

18. (Original) The method according to claim 17, wherein real time signal is a television signal, and wherein the channel identification data and the current time value are contained in a vertical blanking interval of the television signal.
19. (Original) The method according to claim 18, wherein the method further comprises the step of extracting the channel identification data and the current time value from the vertical blanking interval of the television signal.
20. (Previously presented) A method for updating an interval clock in a computer, the computer having a tuner having an input that receives a real time analog television signal, a video decoder operatively coupled to the tuner, the video decoder converting the analog television signal to a digital television signal, comprising:

converting the digital television signal to display data and storing the display data in a frame buffer;

deriving information data from the display data stored in the frame buffer, the information data is indicative of information stored in a vertical blanking interval of the television signal;

extracting at least time stamp information and channel identification information from the information data;

comparing the channel identification information derived from the information data to time zone data in the computer, the time zone data being indicative of a time zone in which the computer is currently located; and

updating the interval clock in the computer when a current value of the time stamp information of the information data differs from a current value of the interval clock in the computer and when the comparison indicates that a station identified by the channel identification information is in the same time zone as the computer.

21. (Previously presented) The method according to claim 20, wherein the channel identification information and the current value of the time stamp information are contained in the vertical blanking interval of the television signal.
22. (Previously presented) The method according to claim 20, wherein the interval clock is updated when the current value of the time stamp information differs by a predetermined amount from a current value of the interval clock in the computer.
23. (Original) A method for updating an interval clock in a computer, the computer having a tuner having an input that receives a real time analog television signal, a video decoder operatively coupled to the tuner, the video decoder converting the analog television signal to a digital television signal, and a capture engine operatively coupled to the video

decoder, the capture engine converting the digital television signal to display data, comprising the steps of:

extracting at least current time information from the display data using optical character recognition; and

updating the clock in the computer when a current value of the current time value of the display data differs from a current value of the clock in the computer.

24. (Original) The method according to claim 23, wherein the method further comprises the step of comparing channel identification data derived from the display data to time zone data in the computer, the time zone data being indicative of a time zone in which the computer is currently located.
25. (Original) The method according to claim 23, wherein the clock is updated only when the comparison indicates that a station identified by the channel identification data is in the same time zone as the computer.
26. (Canceled)
27. (Canceled)
28. (Canceled)
29. (Canceled)
30. (Previously presented) A system for updating an interval clock in a computer, comprising:
 - a timer having an input that receives a digital television signal having a transport stream;
 - a digital television demodulator to decode the transport stream;
 - a transport stream parser to separate PSIP data from the transport stream;

an extraction module operative to derive information data from the PSIP data;
an update module operatively coupled to the extraction module, the update module updating the interval clock in the computer when a current time value of the information data differs from a current value of the interval clock in the computer;
a validating unit that is operatively coupled between the extraction module and the update module, the validating unit comparing channel identification data derived from the information data to time zone data in the computer, the time zone data being indicative of a time zone in which the computer is currently located; and
wherein the interval clock is updated only when the comparison indicates that a station identified by the channel identification data is in the same time zone as the computer.

31. (Previously presented) The system according to claim 30, wherein the interval clock is updated when the current time value of the information data differs by a predetermined amount from a current value of the interval clock in the computer.